

# TOWN OF WATERBURY ZONING PERMIT APPLICATION

Please provide all of the information requested in this application.

Date	7: 2021 Application #: 046-21
Fees Paid:	250 + \$15 recording fee = 265.
Parcel ID #:	900-0025V
Tax Map #:	19-278.000

Parking Lot

Other

□ Soil/sand/gravel/mineral extraction

PAGE 1 of 2

page 20+10

Read the Zoning Regulations and familiarize yourself with the requirements. Failure to provide all the required information will delay the process of this application. Based upon the nature of the project you may need to submit additional information. For instructions on how to fill out this form please refer to the *Zoning Permit Application Instructions & Fee Schedule* available on the municipal website or at the municipal offices. Submit one copy of the completed application and a check payable to the *Town of Waterbury* according to the zoning fee schedule. For questions about the permit process, please contact the Zoning Administrator at 802-244-1018.

## CONTACT INFORMATION

APPLICANT ( / ) A I I	PROPERTY OWNER (if different from Applicant)
Name: Amy Anderson/Mike Merchant	Name: Same
Mailing Address: PO BOX 424 Waterbury, Vt. 05676	Mailing Address:
Home Phone: 802 - 279-6534	Home Phone :
	Work/Cell Phone:
Email: VPCbCQYahoo, Com	Email:
PROJECT DESCRIPTION	CHECK ALL THAT APPLY:
Physical location of project (E911 address): 25 N. M. Waterbury H. 05676	AIA SH. DEW CONSTRUCTION Discrete Single-Family Dwelling Development of the second
Lot size: 14 acre Zoning District: VMR-OVEG	lay District I Multi-Family Dwelling
Existing Use: Multi family Proposed Use: Multi-fc	Commercial / Industrial Building
Brief description of project: Add extender Stain	For equess a Residential Building Addition
from our second floor which a	loesn't Comm./ Industrial Building Addition
change the footpoint is not	enclosed • Accessory Structure (garage, shed)
of are in Kepping with the existi	Deck / Fence / Pool / Ramp
Cost of project: \$ UNKNOWN Estimated start date:	Development in SFHA (including repairs and renovation)
Water system: Waste water system:	A XOther Stairs
EXISITING - Porch PROPOSED - St	
Square footage: Height: Square footage	Height: Establish new use
Number of bedrooms/paths:	/bath: □ Change existing use
# of parking spaces: # of parking spaces:	Expand existing use
Setbacks: front: Setbacks: front:	$\Box \text{ Establish home occupation}$
	$rear: \Box Subdivision (# of Lots:)$
	□ Boundary Line Adjustment (BLA)
ADDITIONAL MUNICIPAL PERMITS REQUIR	□ Planned Unit Development (PUD)

[Additional State Permits may also be required]

Date created: Oct-Nov 2012 / Revised: July 2019

\$KETCH PLAN #046-21 ANDERSON- MERCHANT	Please include a sketch of your project, drawn to scale, with all required measurements - see Zoning Permit Application Instructions. You may use the space below or attach separate sheets. For plans larger than 11"x17" please provide a digital copy (pdf. file format) in addition to a paper copy.			
	See attached			
	he undersigned hereby applies for a Zoning Permit for the use described in this application to be issued on			

**SIGNATURES** The undersigned hereby applies for a Zoning Permit for the use described in this application to be issued on the basis of the representations made herein all of which the applicant swears to be complete and true.

date Applicant Signature

Property Owner Signature

date

OFFICE USE ONLY Design         Zoning District/Overlay: Village Mixed Residential (VMR), Downtow         Review type: <ul> <li>Administrative</li> <li>DRB</li> <li>Public Warning Required:</li> <li>Yes</li> <li>No</li> </ul> DRB Referral Issued (effective 15-days later):       May 26, 2021         DRB Mtg Date:       Office 16-days later):       Occision Date:         Date Permit issued (effective 16-days later):       Final Plat due (for Subdivision only):       Occision         Remarks & Conditions:	A Review (DDR) overlay A REVIEW/APPLICATIONS: Conditional Use Waiver Site Plan Variance Subdivision: Subdv. BLA PUD Overlay: DDR SFHA RHS CMP Sign Other
Authorized signature:Date:	

PAGE 2 of 2 Dagl 4 171

λ

CONTACT Zoning Administrator Phone: (802) 244-1018 Mailing Address: Waterbury Municipal Offices, 28 North Main Street, Suite 1, Waterbury, VT 05676 Municipal Website: www.waterburyvt.com



# TOWN OF WATERBURY SITE PLAN REVIEW INFORMATION

Date: 5/17/21	Application #: 046-21
Fees Paid:	(\$15 recording fee already paid)
Parcel ID #:	
Tax Map #:	

This Site Plan Review information sheet supplements the Zoning Permit Application. Please provide all of the information requested on both forms. Read the Zoning Regulations and familiarize yourself with the requirements. Failure to provide all the required information will delay the process. Submit one copy of the completed forms and a check payable to the Town of Waterbury according to the zoning fee schedule. For questions about the permit process please contact the Zoning Administrator at 802-244-1018.

## **PROJECT DESCRIPTION**

Brief description of project: rais ame matt SITE PLAN REVIEW CRITERIA PXI stairs as the Sh

Please utilize the check list to ensure your proposal addresses each relevant Site Plan Review criteria

Adequacy of traffic access

Adequacy of circulation and parking

Adequacy of landscaping and screening (including exterior lighting) - light is screened by not like Requirements for the Route 100 Zoning District

Requirements for the Route 100 Zoning District

Special considerations for projects bordering Route 2, Route 100, or Interstate 89

# SITE PLAN SUBMISSION REQUIREMENTS

Before an application for site plan review is considered complete, the applicant shall file a site plan, clearly drawn to the largest practical scale, showing the following:

- Location and dimensions of lot lines, names of adjacent landowners, all easements, utilities, and existing and unchanged proposed structures.
- All access to public streets or roads, parking and service areas, pedestrian walkways, curbs and stormwater unchanged drainage.
- Pedestrian and vehicular circulation, including parking lot layout, entrances to structures, signs, and lighting.
- Building elevations and footprints. UN Ch ange C
- Detailed site grading and landscaping, indicating existing and proposed trees, shrubs, and ground cover. Un Change
- Two copies of all plans. e-Mailed + 100PV
- For plans larger than 11"x17" please submit a digital plan set in addition to the paper copy (pdf. file format).

One exterior light was added to illuminate 5 r safety, but the roof line is lower than ght so there is adequate screening neighbors

#### Zoning Administrator Phone: (802) 244-1018 CONTACT Mailing Address: Waterbury Municipal Offices, 28 North Main Street, Suite 1, Waterbury, VT 05676 Municipal Website: www.waterburyvt.com



Date: 5/11/2	Application #:
Fees Paid:	(\$15 recording fee already paid)
Parcel ID #:	
Тах Мар #:	
DEN	Main St

# TOWN OF WATERBURY **OVERLAY DISTRICT INFORMATION**

This Overlay District information sheet supplements the Zoning Permit Application. Please provide all of the information requested on both forms. Read the Zoning Regulations and familiarize yourself with the requirements. Failure to provide all the required information will delay the process. Submit one copy of the completed forms and a check payable to the Town of Waterbury according to the zoning fee schedule. For questions about the permit process please contact the Zoning Administrator at 244-1018.

PROJECT DESCRIPTION Brief description of project: same

Fill out only the relevant section(s) & utilize the following checklists to ensure your plans include all the required information

# DOWNTOWN DESIGN REVIEW OVERLAY DISTRICT (DDR)

#### **DESIGN STANDARDS:**

For Historic Structures (applying to all structures listed on the National Register of Historic Places):

- Original materials or materials typical of the architectural style are preserved or replaced with like materials to the extent feasible and appropriate.
- Historic building features shall be preserved or replicated to the extent feasible and appropriate.

For projects within the Historic/Commercial Sub-District:

- New building designs shall reinforce historic streetscape П patterns, including orientation and setbacks.
- New buildings shall maintain overall height, size, massing, scale, and proportions compatible with those of buildings in the vicinity.
- New additions are designed to complement and be comn patible with the original structure.
- Project design reinforces a pedestrian streetscape.
- On-site utilities shall be buried and utility boxes are screened from public view if the utilities along the street serving that structure are also buried.
- Buildings, or portions thereof, having eaves heights of 20-feet or less above ground level incorporate moderately to steeply pitched roofs, unless the another roof type is appropriate.

# For projects within the Mixed-Use Sub-District:

- Building sites, including road and pedestrian networks, are designed in a manner that is integrated and compatible with adjoining parcels and areas.
- A proposed project located next to or facing a historic П structure incorporates similar or complementary building features.
- New buildings are oriented to front upon, and relate both functionally and visually to, primary access roads.
- On-site parking is situated to the rear or on the sides of structures, where feasible and appropriate.
- The primary facades of principal structures are clearly defined through the placement of one or more prominent entryways, pedestrian walkways, or landscaping features.
- Building facades and rooflines are designed so as to re-duce the perceived mass, scale, and uniform impersonal appearance of large buildings and additions, and to provide visual interest.
- Clearly defined pedestrian walkways are provided through parking areas, between buildings, and from public sidewalks to the site.

#### SUBMISSION REQUIREMENTS:

All information required under Site Plan (see Site Plan Application)

- Proposed architectural elevations (for each exterior wall) showing door and window types and placement, and other lexterior door of same style as existing exterior details - 000ed
- A description of all materials to be used on the exterior of building Same materials (clapboards, R  $\nabla$
- Photos of the existing building(s) on the site and adjacent and facing parcels Stairs, etc. as existing
- For demolition of a structure listed on the National Register of Historic Places see additional requirements within the Regulations.



#046-2-1 Murchant-Anderson her 5/17/21

Dear Zoning Commission,


Please see attached 2 applications. One to add exterior stairs and one to add a dwelling unit. Neither change the footprint of our house. Let us know if you have any questions.

I can be reached at 279-6534

Amy Anderson

25 N. Main St.

page 107



(rounded w/ factors)

APEX SOFTWARE 800-858-9958

Apx7100-w Apex v5

page 5 of

Town of Waterbury

Net BUILDING Area



#046-21 Merchant-Anderson 5|17|21



25 N. Main St. (Front)

page (o 07-10



#046-21 Anderson-Merchant 5/17/21



25 N. Main & (side-view)

page 7 of



Kef: # 046-21 25 N. Main St.

45 W.W

بية، م أما هذه أن أن

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

**INVENTORY -- NOMINATION FORM** 

TIONAL REGISTER OF HISTORIC PLACES

FOR NPS USE ONLY (#26 on inventory)

RECEIVED

DATE ENTERED

CONTINUATION SHEET


ITEM NUMBER 7 PAGE 6

Doorway obscured by enclosed, pedimented entrance porch.

- 21. House, 8 Winooski Street: 2-story, 3-bay, sidehall plan frame house, clad in asbestos siding, has prominent brick chimney addition on facade. Simple door enframement consists of pilaster strips and entablature board and encloses 3/4 sidelights. Large 1-story porch wraps around facade and part of west elevation.
- 22. House, 6 Winooski Street: 2-story, 5-bay, gable-roofed frame house is clapboarded-sided. Door is surrounded by very narrow partial sidelights, is recessed, and has a course of large dentils set into its reveal. Small frame entrance porch has chamfered posts and scroll-sawn brackets.
- 23. House, 4 Winooski Street: 1 1/2-story, frame, sidehall plan house is clapboard sheathed, has gable end to street. First story of facade is covered by porch with simple sawn decoration.
- 24. House, 2 Winooski Street: 1 1/2-story, gable-front frame house is sheathed in asbestos shingles. Central entrance. Partially enclosed facade porch is supported on lathe-turned posts.
- 25. House, 18 North Main Street: 2-story, 2-bay, frame house is sided in thin clapboards, has Greek Revival details: corner pilasters, eaves returns, gable-front orientation. Large facade porch of turned components and thin columns terminates in gazeboed extension at its northern end.
- 26. House, 23 North Main Street, Italianate Style, c. 1860: The 2 1/2story gable-front frame house, sheathed in narrow clapboards, features a T-shaped plan and incorporates 2 pent-roofed porches in the recesses formed by the two intersective axes. It has a brick foundation and slate-sheathed gabled roof. Its roofline is enlivened by a deep, boxed cornice housing paired inchboard brackets with pendants, and a shaped fasciaboard.
- 27. House, 21 North Main Street, Greek Revival/Italianate Style, c. 1855: The appearance of a shaped fasciaboard and bracketed cornice identical to that of its Italianate neighbor, (#26 in district) suggests a common builder for the two houses. The 2 1/2 story, frame, sidehall plan house exhibits late Greek Revival characteristics: gable-front orientation, and door surrounded by elongated 1/1 sidelights and enframed by a panelled and battered crossetted architrave. Windows throughout the house are 2/2 sash.

(Statt)

and the second of the second of the second second



Waterbury Village Historic District (Amendment /Boundary Increase) Name of Property Washington, VT

**County and State** 

Wood frame, 2 story, gable front, sidehall plan house with vinyl siding and ribbed metal covered roof. The appearance of shaped fasciaboard and bracketed cornice identical to that of its Italianate neighbor, at 23/25 North Main Street suggest a common builder for the two houses. The decorative Greek Revival-style entrance with elongated 1/1 sidelights and enframed by a paneled and battered crossetted architrave has been replaced with modern materials in a simple design, 2/2 wood sash have been replaced with 6/6 vinyl windows. A rear ell with side porch connects the house to a 1 ½ story, modernized, gable front barn.

200A. Contemporary, 2-story house, non-contributing due to age.

## 201. 23/25 North Main Street, duplex, c 1860. Contributing.

Wood frame, 2 ½ story, gable front, front-facing T-plan duplex with clapboard siding and asphalt shingle covered roof. This Italianate-style house is supported on an exposed brick foundation and incorporates a one-story bay window centered on the façade with bracketed cornice, and 2 pent-roofed entrance porches in the recesses formed by the intersecting axes. Paneled entrance doors have paired, round arch lights. The roofline is enlivened by deep, boxed eaves with paired brackets with pendants and a shaped facia board. Windows are uniformly vinyl replacements. A rear ell with two story porch connects to a two-bay carriage barn converted to a garage.

## 202. 27 North Main Street, Duplex, c. 1870. Contributing

Wood frame, 1 ½ story, gable front duplex with wood shingled walls and asphalt shingle covered roof, supported on an exposed brick foundation. The full façade porch features paired, square posts resting on a shingled half wall, and shelters two windows to the north and two entrance doors to the south. The outstanding façade feature is the decoratively carved vergeboard in the gable. Windows have been replaced with 4/1 vinyl double hungs. A 2-story bay window penetrates the eaves on the south elevation, behind which is a frame ell with side porch and dormer windows.

**202A.** 1 ½ story, gable front garage with wood doors and double hung gable sash, contributing.

### 203. 29 North Main Street, house, c. 1860. Contributing.


Wood frame, 2 story, gable front, sidehall plan house vinyl siding and standing seam metal covered roof. The south bay entrance s sheltered by a shallow hipped roof porch supported on Tuscan columns. Cornerboards, widow casings, and returning eaves are clad in vinyl, windows throughout the house are vinyl replacements. A rear ell with Tuscan columned side porch connects the house to a large 2  $\frac{1}{2}$  story barn – substantially altered and enlarged.

## 204. 31 North Main Street, House, c.1880. Contributing.

Wood frame, 2 ½ stories, gable front house with an asphalt shingle covered roof and vinyl siding. This Italianate-style house, now an office building with two substantial rear additions, is distinguished by first story bay windows on the façade and north elevation, and a sidehall entrance sheltered by a flat roof supported by heavy scrolled brackets. An exterior brick chimney

Waterbury Village Historic District Map





<sup>25</sup> N. Main Street (Building #201, contributing)

Page 1 of 1

Assessor photos--old, prior to front deck addition. Ref: #046-21, 25 N. Main St. Exhibit **F1** 





400-0025.2




<sup>400-0025.1</sup> 


Google Street View. (Staff) Ref: #046-21, Anderson, 25 N. Main St. Exhibit **F2** 





Data shown on this map is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this map.





Appendix B EXHIBIT 12

